

H1

Dane do obliczeń : Ferma drobiu Stok (pora dnia)

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	491.5	549.0	7.0	80.0	E-1
2	480.0	547.2	7.0	80.0	E-2
3	470.6	553.0	7.0	80.0	E-3
4	459.1	551.5	7.0	80.0	E-4
5	449.0	556.6	7.0	80.0	E-5
6	438.2	555.1	7.0	80.0	E-6
7	428.5	560.5	7.0	80.0	E-7
8	417.4	559.1	7.0	80.0	E-8
9	407.6	564.1	7.0	80.0	E-9
10	396.1	562.7	7.0	80.0	E-10
11	386.0	568.4	7.0	80.0	E-11
12	375.2	566.6	7.0	80.0	E-12
13	365.2	571.7	7.0	80.0	E-13
14	354.4	570.2	7.0	80.0	E-14
15	349.2	582.2	1.5	89.0	E-15
16	348.8	580.8	1.5	89.0	E-16
17	348.4	579.6	1.5	89.0	E-17
18	348.4	578.4	1.5	89.0	E-18
19	348.2	577.2	1.5	89.0	E-19
20	346.8	570.6	1.5	89.0	E-20
21	346.8	569.2	1.5	89.0	E-21
22	346.8	568.2	1.5	89.0	E-22
23	346.4	566.6	1.5	89.0	E-23
24	346.0	565.6	1.5	89.0	E-24
25	486.2	521.0	7.0	80.0	E-25
26	475.0	519.6	7.0	80.0	E-26
27	465.0	525.0	7.0	80.0	E-27
28	454.0	523.4	7.0	80.0	E-28
29	444.2	528.8	7.0	80.0	E-29
30	432.8	527.2	7.0	80.0	E-30
31	422.8	532.6	7.0	80.0	E-31
32	411.6	531.0	7.0	80.0	E-32
33	401.8	536.2	7.0	80.0	E-33
34	390.6	534.8	7.0	80.0	E-34
35	381.2	540.2	7.0	80.0	E-35
36	369.8	539.0	7.0	80.0	E-36
37	359.8	544.2	7.0	80.0	E-37
38	348.8	542.8	7.0	80.0	E-38
39	344.2	554.4	1.5	89.0	E-39
40	343.4	552.8	1.5	89.0	E-40
41	343.4	551.8	1.5	89.0	E-41
42	343.2	550.6	1.5	89.0	E-42
43	343.2	549.4	1.5	89.0	E-43
44	341.8	543.0	1.5	89.0	E-44
45	341.6	541.8	1.5	89.0	E-45
46	341.4	540.0	1.5	89.0	E-46
47	341.2	539.0	1.5	89.0	E-47

48	340.8	537.6	1.5	89.0	E-48
49	480.8	493.0	7.0	80.0	E-49
50	470.0	491.6	7.0	80.0	E-50
51	459.8	497.4	7.0	80.0	E-51
52	448.8	495.8	7.0	80.0	E-52
53	438.8	501.0	7.0	80.0	E-53
54	427.8	499.4	7.0	80.0	E-54
55	417.8	504.8	7.0	80.0	E-55
56	406.8	503.4	7.0	80.0	E-56
57	396.8	508.6	7.0	80.0	E-57
58	385.8	507.2	7.0	80.0	E-58
59	375.6	512.4	7.0	80.0	E-59
60	364.4	511.2	7.0	80.0	E-60
61	354.8	516.0	7.0	80.0	E-61
62	343.6	514.8	7.0	80.0	E-62
63	338.8	526.4	1.5	89.0	E-63
64	338.6	525.2	1.5	89.0	E-64
65	338.4	523.8	1.5	89.0	E-65
66	337.8	522.6	1.5	89.0	E-66
67	337.4	521.4	1.5	89.0	E-67
68	336.8	515.0	1.5	89.0	E-68
69	336.4	513.6	1.5	89.0	E-69
70	336.2	512.2	1.5	89.0	E-70
71	336.0	511.0	1.5	89.0	E-71
72	335.6	509.8	1.5	89.0	E-72
73	476.0	464.8	7.0	80.0	E-73
74	464.8	464.2	7.0	80.0	E-74
75	454.4	469.2	7.0	80.0	E-75
76	443.8	467.8	7.0	80.0	E-76
77	433.8	473.0	7.0	80.0	E-77
78	422.4	471.6	7.0	80.0	E-78
79	412.8	476.8	7.0	80.0	E-79
80	401.6	475.8	7.0	80.0	E-80
81	391.8	480.6	7.0	80.0	E-81
82	380.4	479.2	7.0	80.0	E-82
83	370.6	484.6	7.0	80.0	E-83
84	359.4	483.2	7.0	80.0	E-84
85	349.6	488.2	7.0	80.0	E-85
86	338.2	487.0	7.0	80.0	E-86
87	333.6	499.0	1.5	89.0	E-87
88	333.2	497.2	1.5	89.0	E-88
89	333.0	496.2	1.5	89.0	E-89
90	333.0	495.0	1.5	89.0	E-90
91	332.8	493.8	1.5	89.0	E-91
92	331.4	487.2	1.5	89.0	E-92
93	331.2	486.0	1.5	89.0	E-93
94	330.8	484.4	1.5	89.0	E-94
95	330.6	483.4	1.5	89.0	E-95
96	330.6	482.2	1.5	89.0	E-96
97	521.4	539.4	7.0	80.0	E-97
98	532.4	540.8	7.0	80.0	E-98
99	542.2	535.4	7.0	80.0	E-99
100	553.4	537.2	7.0	80.0	E-100
101	563.6	531.4	7.0	80.0	E-101

102	574.4	533.2	7.0	80.0	E-102
103	584.6	528.0	7.0	80.0	E-103
104	595.4	529.4	7.0	80.0	E-104
105	605.6	524.2	7.0	80.0	E-105
106	616.8	525.4	7.0	80.0	E-106
107	626.6	520.2	7.0	80.0	E-107
108	637.6	521.8	7.0	80.0	E-108
109	647.6	516.8	7.0	80.0	E-109
110	658.6	517.6	7.0	80.0	E-110
111	666.4	522.6	1.5	89.0	E-111
112	666.2	521.6	1.5	89.0	E-112
113	666.2	520.0	1.5	89.0	E-113
114	666.0	518.8	1.5	89.0	E-114
115	665.6	517.8	1.5	89.0	E-115
116	664.2	510.8	1.5	89.0	E-116
117	664.0	510.0	1.5	89.0	E-117
118	664.0	508.8	1.5	89.0	E-118
119	663.6	507.6	1.5	89.0	E-119
120	663.6	506.2	1.5	89.0	E-120
121	516.0	511.4	7.0	80.0	E-121
122	527.2	513.2	7.0	80.0	E-122
123	537.2	507.6	7.0	80.0	E-123
124	548.2	509.2	7.0	80.0	E-124
125	558.2	504.2	7.0	80.0	E-125
126	569.6	505.2	7.0	80.0	E-126
127	579.2	499.8	7.0	80.0	E-127
128	590.4	501.6	7.0	80.0	E-128
129	600.2	496.2	7.0	80.0	E-129
130	611.6	497.8	7.0	80.0	E-130
131	621.6	492.4	7.0	80.0	E-131
132	632.4	494.0	7.0	80.0	E-132
133	642.4	488.8	7.0	80.0	E-133
134	653.6	489.8	7.0	80.0	E-134
135	661.6	494.8	1.5	89.0	E-135
136	661.4	493.4	1.5	89.0	E-136
137	661.0	492.4	1.5	89.0	E-137
138	660.6	490.8	1.5	89.0	E-138
139	660.2	489.6	1.5	89.0	E-139
140	659.2	483.2	1.5	89.0	E-140
141	658.8	482.2	1.5	89.0	E-141
142	658.6	481.0	1.5	89.0	E-142
143	658.4	479.4	1.5	89.0	E-143
144	658.2	478.0	1.5	89.0	E-147
145	511.0	483.4	7.0	80.0	E-148
146	522.0	485.4	7.0	80.0	E-149
147	531.8	480.0	7.0	80.0	E-150
148	543.2	481.4	7.0	80.0	E-151
149	553.0	476.2	7.0	80.0	E-152
150	564.0	477.4	7.0	80.0	E-153
151	574.2	472.6	7.0	80.0	E-154
152	585.4	473.6	7.0	80.0	E-155
153	595.0	468.4	7.0	80.0	E-156
154	606.2	469.8	7.0	80.0	E-157
155	616.2	464.6	7.0	80.0	E-158

156	627.6	466.0	7.0	80.0	E-159
157	637.2	460.6	7.0	80.0	E-160
158	648.4	462.0	7.0	80.0	E-161
159	656.0	467.0	1.5	89.0	E-162
160	655.8	465.8	1.5	89.0	E-163
161	655.6	464.6	1.5	89.0	E-164
162	655.6	463.4	1.5	89.0	E-165
163	655.6	462.0	1.5	89.0	E-166
164	654.0	455.6	1.5	89.0	E-167
165	654.0	454.2	1.5	89.0	E-168
166	653.4	452.8	1.5	89.0	E-169
167	653.2	451.6	1.5	89.0	E-170
168	653.0	450.2	1.5	89.0	E-171
169	506.0	456.0	7.0	80.0	E-172
170	516.8	457.4	7.0	80.0	E-173
171	527.0	452.0	7.0	80.0	E-174
172	538.0	453.4	7.0	80.0	E-175
173	547.8	448.2	7.0	80.0	E-176
174	559.2	449.6	7.0	80.0	E-177
175	569.0	444.4	7.0	80.0	E-178
176	579.8	445.8	7.0	80.0	E-179
177	590.0	440.8	7.0	80.0	E-180
178	601.2	442.0	7.0	80.0	E-181
179	611.2	436.8	7.0	80.0	E-182
180	622.4	438.4	7.0	80.0	E-183
181	632.2	433.2	7.0	80.0	E-184
182	643.4	434.4	7.0	80.0	E-185
183	651.0	439.4	1.5	89.0	E-186
184	651.0	438.2	1.5	89.0	E-187
185	650.8	436.8	1.5	89.0	E-188
186	650.2	435.6	1.5	89.0	E-189
187	650.0	434.4	1.5	89.0	E-190
188	648.8	427.8	1.5	89.0	E-191
189	648.4	426.6	1.5	89.0	E-192
190	648.4	425.4	1.5	89.0	E-193
191	648.4	424.0	1.5	89.0	E-194
192	648.0	423.0	1.5	89.0	E-195
193	514.8	609.7	1.0	68.4	EP1
194	507.8	559.4	1.0	68.4	EP2
195	505.5	545.4	1.0	60.2	EP3
196	508.7	528.4	1.0	72.0	EP4
197	507.1	530.0	1.0	67.4	EP5
198	514.8	604.6	1.0	68.4	EP6
199	572.4	546.6	1.0	68.4	EP7
200	669.7	528.1	1.0	68.4	EP8
201	674.8	492.9	1.0	60.2	EP9
202	666.5	484.2	1.0	67.4	EP10
203	514.8	614.8	1.0	68.4	EP11
204	501.7	605.2	1.0	60.2	EP12
205	501.4	600.4	1.0	67.4	EP13
206	523.1	611.9	1.0	68.4	EP14
207	538.5	606.8	1.0	60.2	EP15
208	540.7	600.7	1.0	68.0	EP16
209	543.6	603.0	1.0	67.4	EP17

210	514.5	613.2	1.0	68.4	EP18
211	508.4	564.2	1.0	68.4	EP19
212	507.4	553.4	1.0	60.2	EP20
213	512.6	546.0	1.0	67.4	EP21

=====

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	350.0	583.6	346.4	563.4	495.0	536.2	498.4	556.6	0.0	6.5
2	345.0	556.2	341.2	535.6	489.8	508.2	493.4	528.4	0.0	6.5
3	340.0	528.4	336.2	507.8	484.4	480.4	488.0	500.6	0.0	6.5
4	334.6	500.4	331.0	479.8	480.0	452.4	483.2	473.0	0.0	6.5
5	517.8	552.4	514.4	532.0	662.0	504.2	666.0	524.8	0.0	6.5
6	512.4	524.2	508.8	503.8	657.4	476.4	660.8	497.2	0.0	6.5
7	507.4	496.4	503.8	476.0	652.4	448.8	655.8	469.4	0.0	6.5
8	502.0	468.8	498.6	448.6	647.0	420.8	650.4	441.2	0.0	6.5
9	521.2	580.2	521.4	582.2	525.2	581.2	524.8	579.0	0.0	2.5

=====

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
1	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
2	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
3	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
4	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
5	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
6	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
7	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odn.
=====											
8	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odn.
=====											
9	sc.1	L wew	98.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	98.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	98.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	98.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	98.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekran akustyczny :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	525.2	602.6	521.4	582.0	530.0	581.0	533.6	601.2	0.0	5.0
2	524.6	578.4	541.8	575.4	543.8	586.6	527.0	589.6	0.0	5.0
3	559.8	597.4	554.2	567.4	561.0	566.2	566.8	596.6	0.0	8.0
4	403.1	616.1	399.6	595.9	443.8	587.6	447.6	608.1	0.0	10.0
5	496.2	541.2	495.3	535.8	499.1	535.1	500.1	540.6	0.0	3.0
6	515.4	537.0	511.0	538.3	509.4	531.9	514.5	531.3	0.0	3.0
7	490.8	513.0	489.8	507.6	494.0	507.3	495.0	512.7	0.0	3.0
8	510.0	509.5	504.9	510.2	503.9	504.7	509.0	503.8	0.0	3.0
9	485.7	485.5	484.7	480.1	488.9	479.4	489.2	484.9	0.0	3.0
10	504.9	482.0	500.1	482.6	499.4	476.6	504.6	475.6	0.0	3.0
11	480.9	457.4	479.9	452.2	484.1	451.0	484.4	457.4	0.0	3.0
12	499.1	453.8	495.0	454.2	495.0	448.7	498.8	448.4	0.0	3.0
=====										

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
=====					
1	1.0000	1.0000	1.0000	1.0000	1.0000

2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	0.1000	0.1000	0.1000	0.1000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000
12	1.0000	1.0000	1.0000	1.0000	1.0000

=====